



仕摺企業有限公司


SHI GANG ENTERPRISE Co., Ltd.

*Wherever you are, we can always
save your time for more solutions.*

► Occasion



Construction and Building Industry



Manufacturing Industry



Aerospace Industry

► Using



Bind and secure building materials, providing sturdy support



Ensure the safety of machinery during transportation and operation.



Ensure the durability of materials in extreme environments.

► FEATURE



Excellent strength and durability



Adjustability and flexibility



Corrosion resistance

PK001 Tensioning Tools

Manuel strapping tools

apply:3/16"-3/4" steel belts

BLUE



RED



BLACK



PK002

Stainless strap tensioning tools
Manuel packing tools

Color:white zinc

apply:3/16"-3/4" steel belts



PKS100

Carbon steel drop forged

Cutter for 3/8"-3/4" x0.0236" steel straps.
(19.1mmx.76mm band)



PK006

Heavy type ratchet tensioning tools

apply:3/8"-3/4" steel belts



PK090

Lightweight, ratchet action tool

apply:4.6mm-19mm steel belts




PK091

Stainless steel zip line, tie gun tool

PKG01

Giant-type Strap tensioning tools

apply: 3/4"~1-1/4" steel belts



PK500

Heavy-type Strap tensioning tools

apply: 0.044"~3/4" steel belts



PK070

Centering strap-tensioning tools

apply: 3/8"~5/8" steel belts



PK003B

Flat head tightening machine



PK020
DUST BOOT CLAMP INSTALLER



MT100

Cable Tie Tool

Suitable for stainless steel cable ties
With a width up to 12mm and
0.3mm thick



MT100-A



17.8cm/7inch

Cable tie gun
stainless steel cable ties up to
7.9mm wide and 0.3mm thick



13.4cm/5.27inch

PK200

tensioning tools



PK20E

Zipper Tie Tool

for tightening and cutting plastic nylon zipper straps less than 3/8 inch



PKT263

Tension hook



K3160

Steel belt sealing machine.

For 3/4" steel strapping

K3166

steel belt sealing machine.

Steel strapping strap 1" x 0.035

K3180

K3180 is used for strapping steel belt

1-1/4" x 0.035



H01K

Tightening machine for band iron



H03K

3/4"



K350

Heavy duty feedwheel tensioner

For steel strap 3/8"~1-1/4" x0.031"



K300

High carbon steel drop forged strap

Cutter for straps up to 2" x 0.035"




PP02

Strapping tools

1/2 inch





X803

**Pneumatic Strapping Tools,
Steel Strapping Tensioner + Cutter Sealer,
Packaging Strapping Machine Strapping
Tightening Machine,
Baler Steel Bundling Tensioner Kit**

Use air pressure	0.49–0.63 Mpa
No-load steel belt speed	85 mm/sec
Tension force	8.5 KN
Tensioner weight	4.8 kg
Steel strip specifications	Width 19-32 mm Thickness 0.8-1.2 mm
Locking buckle machine weight	3.2 kg
Double jaws mouth bear the tensile force	15 KN

PP01

Strapping tools



PK021

PK022

**CV connector
Ear boots tie pliers
Car strap kit**

Hose shaft pliers Ear tube clamps



MT101

CV joint strap tool



PPe01

Cable tie gun

Strapping Tool

Electric strapping machine

For 1/2-5/8 inch (approx. 1.2 cm) PP PET strapping


■ JDC 16/19



Strapping Tool

Pneumatic strapping tool AB19

handheld baler for 1/2 to 3/4 inch
PP and PET plastic belt hot melt seal packing kit



Strapping Tool

Steel packing strapping tools

Free buckle width 1/2 inch 5/8 inch 3/4 inch




RC-20
Portable electric hydraulic
Steel bar cutter



PET19

Heavy duty sealer and crimper
1/2 inch~3/4 inch




PET19-2

PET strapping sealer. 5/8



PP

tape cutting table



Poly Strap

Polyster(PET) strapping roll 16mm

PET19

PET PP plastic belt tensioner



Poly Strap

Poly strap, polypropylene strapping



PE50

Telescopic film / wrapping film 50L

Torque wrench PRESET TYPE TORQUE WRENCH

High hardness, corrosion resistance, excellent durability
material carbon steel

■ P-1/4" P-3/8" P-1/2"




狭い箇所での作業に超便利!

BEST

狭所箇所での連続作業に便利!

板ラチェットレンチ [FR-06]


Choose the specifications you want, it can be customized for you.



PC1

Stainless gear type sealing buckle

inch : 3/8" 1/2" 5/8" 3/4" 1"
mm : 9.5 12.7 16.0 19.0 25.4



PC2

Stainless L type sealing buckle


inch : 3/8" 1/2" 5/8" 3/4"
mm : 9.5 12.7 16.0 19.0



PC-J

Tensioning wire tensioner

304 stainless steel / galvanized





KK


Type KK steel sealing buckle

KK19

**Steel Strapping
Galvanized**

Painted steel strip

Specification: 13/16/19/25/32mm



Tray car

Plastic steel packing belt trolley with tray car

Disc baler

Steel belt tray car

PP packing belt bracket trolley



Stainless Steel Hose Clip

Cut any length flexible to use

Made of 304 stainless steel, width 8 mm/12.7mm, thickness 0.5 mm, length 10 meters, a single bar can withstand a tensile force of more than 100 kgf




**Good quality screws
easy turn worm gear**



**304 stainless steel
thick steel sheet**

Instructions for Use





unit:mm
thickness:0.25mm

Item NO.	Specification
<i>BC-79300</i>	<i>7.9*300</i>
<i>BC-79400</i>	<i>7.9*400</i>
<i>BC-79500</i>	<i>7.9*500</i>
<i>BC-79600</i>	<i>7.9*600</i>
<i>BC-79800</i>	<i>7.9*800</i>
<i>BC-791000</i>	<i>7.9*1000</i>
<i>BC-791200</i>	<i>7.9*1200</i>
<i>BC-791500</i>	<i>7.9*1500</i>

Item NO.	Specification
<i>BC-46400</i>	<i>4.6*400</i>
<i>BC-46500</i>	<i>4.6*500</i>
<i>BC-46600</i>	<i>4.6*600</i>
<i>BC-46800</i>	<i>4.6*800</i>
<i>BC-461000</i>	<i>4.6*1000</i>
<i>BC-461200</i>	<i>4.6*1200</i>
<i>BC-461500</i>	<i>4.6*1500</i>

PC3

Material : 304 316
Stainless steel banding
30M/roll



Hand Pull Metal Cutter Shear

Red: about 23*13 cm

Black: about 19*9 cm

Colored steel plate. Colored steel tile. Metal plate scissors



YH-00976

Tape tying machine,
hand strapping machine,
simple tape,
tape tying machine



YQK-70



4-70mm²



Brand:	YUZES
Item No.:	YQK-70
Crimping Range:	4-70mm ²
Crimping Force:	100KN
Stroke:	11mm
Crimping type:	Hexagon
Weight:	Approx 1.75kg
Package:	Plastic case
Crimping die:	4,6,8,10,16,25,35,50,70mm ²

Stainless Steel Cable:	1/16"	3/32"	1/8"	5/32"	3/16"	1/4"
Crimping die:	#4	#4 or #6	#6 or #8	#8 or #10	#25	#35


CRIMP RANGE




Do not use the tool without dies or crimp on live cables



- YQK-120
- YQK-240
- YQK-300



Electrical Installations
Ensure that residential, commercial and industrial environments
Safe and reliable electrical connections



Industrial and Manufacturing
It is used in production facilities for crimping machinery, control panels, automation systems and cable terminations for other equipment.



Automotive and Marine
It can be used for automotive Marine wiring and other electrical systems to create solid connections.



▶ **PROCESS**



SHI-GANG ENTERPRISE Co., Ltd.

No.29-3,In.165,fengren Rd.,renwu Dist., kaohsiung City 814, Taiwan (R.O.C)

Whatsapp/Wechat:
andy0983665

E-mail:
s28593187@gmail.com

Phone:886-7-3720570
Fax:886-73741074

LINE:
99098833

The background of the image is a close-up, blue-tinted photograph of industrial machinery, likely a lathe or similar metalworking equipment. The focus is on a cylindrical metal part being processed. Overlaid on this background is a large white hexagon containing the company logo. The logo consists of a large, stylized blue letter 'S' positioned above the words 'SHI GANG' in a bold, black, sans-serif font. Several smaller yellow hexagons are scattered around the main white hexagon, and thin blue lines intersect it. On the right side of the image, there are large, solid yellow and white geometric shapes that partially overlap the machinery.

S
SHI GANG

www.pengkang.com.tw